

2025 CWM L-2279 = PS / RPLL-2295 = PS / RPL

3081841

CHERYL BERKEN BROWN COUNTY REGISTER OF DEEDS GREEN BAY, WI RECORDED ON 12/12/2024 09:57 AM REC FEE: 50.00

L-2336 Lot 69 THRU L-2345 Lot 78 = NPL

<u>NOTES:</u> THIS SUBDIVISION IS ALL OF TAX PARCEL NOS. L—2279 AND L—2295

PLANNED MUNICIPAL IMPROVEMENTS TO INCLUDE LITHLITIES SLICH AS STORM SEWER SANITARY SEWER, WATER MAIN, ASPHALT STREETS WITH CONCRETE CURB & GU

ELEVATIONS AS SHOWN ON THIS PLAN ARE REFERENCED TO NAVD 88 DATUM (07

A SHORELAND PERMIT FROM THE BROWN COUNTY ZONING ADMINISTRATOR'S OFFICE IS REQUIRED FOR LOTS 69, 76, 77 AND 78 PRIOR TO CONSTRUCTION, FILL OR GRADING ACTIVITY WITHIN 300 FEET OF A STREAM.

LOTS 77 AND 78 INCLUDE WETLAND AREAS THAT MAY REQUIRE PERMITS FROM THE WISCONSIN DEPARTMENT OF NATURAL RESOURCES, ARMY CORP OF ENGINEERS, BROWN COUNTY PLANNING COMMISSION, OR THE BROWN COUNTY ZONING ADMINISTRATOR'S OFFICE PRIOR TO ANY DEVELOPMENT ACTIVITY.

THE PROPERTY OWNERS, AT THE TIME OF CONSTRUCTION, SHALL IMPLEMENT THE APPROPRIATE SOIL EROSION CONTROL METHODS OUTLINED IN THE WISCONSIN CONSTRUCTION SITE EROSION AND SEDIMENT CONTROL TECHNICAL STANDARDS (AVAILABLE FROM THE WISCONSIN DEPARTMENT OF NATURAL RESOURCES) TO PREVENT SOIL EROSION. HOWEVER, IF AT THE TIME OF CONSTRUCTION THE TOWN HAS AN ADOPTED SOIL EROSION CONTROL ORDINANCE, IT SHALL GOVERN OVER THIS REQUIREMENT. THIS PROVISION APPLIES TO ANY GRADING, CONSTRUCTION, OR INSTALLATION-RELATED ACTIVITIES.

THE LOCATION OF THE APPROXIMATE ORDINARY HIGH WATER LINE SHALL BE THE POINT ON THE BANK OF THE NAVIGABLE STREAM UP TO WHICH THE PRESENCE AND ACTION OF SURFACE WATER IS SO CONTINUOUS AS TO LEAVE A DISTINCTIVE MARK BY EROSION, DESTRUCTION OF TERRESTRIAL VEGETATION, OR OTHER RECOGNIZED CHARACTERISTICS.

ANY LAND BELOW THE ORDINARY HIGH WATER MARK OF A LAKE OR A NAVIGABLE STREAM IS SUBJECT TO THE PUBLIC TRUST IN NAVIGABLE WATERS THAT IS ESTABLISHED UNDER ARTICLE IX, SECTION 1, OF THE STATE CONSTITUTION.

ESA RESTRICTIVE COVENANT:

LOTS 77 AND 78 CONTAIN AN ENVIRONMENTALLY SENSITIVE AREA (ESA) AS DEFINED IN THE 2040 BROWN COUNTY URBAN SERVICE AREA WATER QUALITY PLAN. THE ESA INCLUDES: WETLANDS, ALL LAND WITHIN 50 FEET OF MODERATELY SUSCEPTIBLE WETLANDS; FLOODWAY, ALL LAND WITHIN 30 FEET OF THE FLOODWAY OR 75 FEET BEYOND THE ORDINARY HIGH WATER LINE — WHICHEVER IS GREATER: NANGABLE WATERWAYS, ALL LAND WITHIN 75 FEET OF THE ORDINARY HIGH WATER LINE OF NAVIGABLE WATERWAYS; STEEP SLOPES OF 20% OR GREATER ASSOCIATED WITH ANY AFOREMENTIONED WATER OR NATURAL RESOURCE FEATURES AND A 20-FOOT SETBACK FROM TOP AND BOTTOM OF STEEP SLOPES DEVELOPMENT. ANY LAND DISTURBING ACTIVITIES ARE RESTRICTED IN THE ESA UNLESS AMENDMENTS ARE APPROVED BY THE BROWN COUNTY PLANNING COMMISSION AND THE WISCONSIN DEPARTMENT OF NATURAL RESOURCES.

LOT DRAINAGE RESTRICTIVE COVENANT:
THE LAND ON ALL SIDE AND REAR LOT LINES OF ALL LOTS SHALL BE GRADED BY
THE LOT OWNER AND MAINTAINED BY THE ABUTTING PROPERTY OWNERS TO PROVIDE
FOR ADEQUATE DRAINAGE OF SURFACE WATER. GRADING ACTIVITIES WITH THE ESA AND ESA SETBACK AREAS ARE RESTRICTED UNLESS AN ESA AMENDMENT IS
APPROVED BY THE BROWN COUNTY PLANNING COMMISSION, OR GRADING IS
COMPLETED AS PART OF AN APPROVED GRADING AND STORMWATER MANAGEMENT

WDNR NOTES:
THE WDNR SURFACE WATER NEWER MAP IDENTIFIES WETLAND INDICATOR SOIL TYPES
WITHIN THE SUBJECT PROPERTIES. DUE TO WETLANDS, INDICATOR SOILS, AND/OR
WATERWAYS WITHIN THE SUBJECT PROPERTIES, COORDINATE WITH WISCONSIN
DEPARTMENT OF NATURAL RESOURCES REGARDING POTENTIAL PROTECTIVE AREAS.

PER US ARMY REGULATORY GUIDANCE LETTER NO. 05-02, DATED JUNE 14, 2005: ALL APPROVED WEILAND DETERMINATIONS COMPLETED AND/OR VERIFIED BY THE US ARMY CORPS OF ENGINEERS MUST BE IN WRITING AND WILL REMAIN VALID FOR A PERIOD OF FIVE YEARS, UNLESS NEW INFORMATION WARRANTS REVISION OF THE DETERMINATION BEFORE THE EXPIRATION DATE, OR A DISTRICT ENGINEER IDENTIFIES SPECIFIC GEOGRAPHIC AREAS WITH RAPIDLY CHANGING ENVIRONMENTAL CONDITIONS THAT MERIT RE-VERIFICATION ON A MORE FREQUENT BASIS.

CON

OUGI AS

W0ELZ S-2327

9-05-2024

THE TRANSMISSION LINE LOCATED WITHIN THE 150' TRANSMISSION LINE EASEMENT IS THE TRANSMISSION LINE LOCATED WITHIN THE 150' TRANSMISSION LINE EASEMENT IS A 345,000 VOLT LINE, HIGHLY REGULATED AND PROTECTED. ANY PROPOSED DEVELOPMENT WITHIN THE 150' TRANSMISSION LINE EASEMENT SHALL BE SUBMITTED TO AND REVIEWED BY ATC. PSC 114 OF THE WISCONSIN ADMINISTRATIVE CODE DOES NOT ALLOW FOR A DWELLING TO BE UNDER OR WITHIN THE BLOWOUT OF A TRANSMISSION LINE. CONTACT ATC REAL ESTATE FOR REVIEW OF DWELLING

> here are no objections to this plat with respect to 236.15, 236.16, 236.20 and 236.21 (1) and (2), Wis Stats. as provided by s. 236.12, Wis. Stats Certified November 08, 2024



OBJECTING AUTHORITIES:

— DEPARTMENT OF ADMINISTRATION

McMAHON

ENGINEERS ARCHITECTS

McMAHON ASSOCIATES, INC.

APPROVING AUTHORITIES:

— TOWN OF LAWRENCE

LAND SURVEYOR: DOUGLAS E. WOELZ MCMAHON ASSOCIATES 1445 MCMAHON DRIVE NEENAH, WISCONSIN 54956 BROWN COUNTY PLANNING COMMISSION PHONE #920-751-4200

2400 SHADY CT DE PERE WI 54115